
No.



9400062

THE CONKIED SHAVES OF ANDERICAL

<u>TO ALL TO WHOM THESE PRESENTS SHALL COME:</u>

Unibersity of Illinois

Colherens, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF eighteen years from the date of this grant, subject to the payment of the required fees and periodic replenishment of viable basic seed of the variety in a public repository as provided by LAW, the right to exclude others from selling the variety, or offering it for sale, or reproducing it, importing it, or exporting it, or using it in producing a hybrid or different tety therefrom, to the extent provided by the Plant Variety Protection Act. United States seed of this variety (1) shall be sold by variety name only as of certified seed and (2) shall conform to the number of generations by the Owner of the rights, (84 stat. 1542, as amended, 7 u.s.c. 2321 et seq.)

SOYBEAN

'Piatt'

In Lestimony Whereof, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington, D.C. this 31st day of October in

the year of our Lord one thousand nine Joundred and ninety-sive.

Attest

Marshu A. Stunfor

Commissioner

Plant Variety Protection Office Agricultural Marketing Service Wylliamon Socretary of Agriculture

U.S. DEPARTMENT AGRICULTURAL MA SCIENCE	RKETING SERVICE		Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C.		
APPLICATION FOR PLANT VAF	2421). Information is held confidential until certificate is issued (7 U.S.C. 2426).				
1. NAME OF APPLICANT(S) (as it is to appear on the Certificate	3)	2. TEMPORARY DESIGNATION OR EXPERIMENTAL NO.	3. VARIETY NAME		
University of Illinois		LN86-3357	Piatt		
4 ADDRESS (street and no or R.F.D. no. city, state, and ZIP) Illinois Agricultural Experiment 1301 W. Gregory 211 Mumford Hall University of Illinois Urbana, IL 61801	Station	5. PHONE (include area code) 217-333-0240	FOR OFFICIAL USE ONLY PVPO NUMBER 9400062 F Jan. 12, 1994 Time		
6. GENUS AND SPECIES NAME	7. FAMILY NAME (Bo		N 1:45 AM. B P.M.		
Glycine max (L.) Merr.	Leguminosa	2	F Filing and Examination Fee:		
8. CROP KIND NAME (Common Name)		9. DATE OF DETERMINATION	1 2.325.00		
Soybeans		August 1, 1993	S Date		
10. IF THE APPLICANT NAMED IS NOT A "PERSON," GIVE FOR association, etc.)	M OF ORGANIZATION		R Jan. 12, 1994 C Certificate Fee:		
11. IF INCORPORATED, GIVE STATE OF INCORPORATION		12. DATE OF INCORPORATION	V \$275.00		
			SEPTEMBER 5, 1995		
14. CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUB a. Exhibit A, Origin and Breeding History of the Varie b. Exhibit B, Novelty Statement c. Exhibit C. Objective Description of Variety d. Exhibit D, Additional Description of Variety e. Exhibit E, Statement of the Basis of Applicant's On f. Seed Sample (2,500 viable untreated seeds). Date g. Filing and Examination Fee (\$2,325) made payable	ty wnership e Seed Sample mailed t	o Plant Variety Protection Office			
15. DOES THE APPLICANT(S) SPECIFY THAT SEED OF THIS VA Plant Variety Protection Act) YES (If "YES," answer					
16. DOES THE APPLICANT(S) SPECIFY THAT THIS VARIETY BE LIMITED AS TO NUMBER OF GENERATIONS? YES NO	!	FOUNDATION TO REGIST	PRODUCTION BEYOND BREEDER SEED?		
18. DID THE APPLICANT(S) PREVIOUSLY FILE FOR PROTECTION ☐ YES (II "YES," through ☐ Plant Variety Protection ☐ NO		THE U.S.? It Act. Give date:).		
19. HAS THE VARIETY BEEN RELEASED, USED, OFFERED FOR YES (If "YES," GIVE NAMES OF COUNTRIES AND DAY NO		O IN THE U.S. OR OTHER COUNTRIES?			
 The applicant(s) declare(s) that a viable sample of basic seed such regulations as may be applicable. 	s of this variety will be	furnished with the application and will b	e replenished upon request in accordance with		
The undersigned applicant(s) is (are) the owner(s) of this sexu in section 41, and is entitled to protection under the provision	ally reproduced novel p is of section 42 of the F	lant variety, and believe(s) that the varie Plant Variety Protection Act.	ty is distinct, uniform, and stable as required		
Applicant(s) is (are) informed that false representation herein	can jeopardize protecti	on and result in penalties.			
SIGNATURE OF APPLICANT (Owner(s))		CARACITY OR TITLE Since ton agr Egg Station	DATE 12/15/93		
SIGNATURE OF APPLICANT [Owner(s)]	ľ	CAPACRY OR TITLE	DATE		
		*			

SOYBEAN

'Piatt'

14a. Exhibit A:

Pedigree: LN78-257 x Asgrow A3127

Piatt originated as a F_4 plant selection from the cross of LN78-257 x Asgrow A3127. LN78-257, with semi-determinate stem termination, is a selection from the cross of Union x C1528. C1528 is a semi-determinate stem type selection from 'Calland' x L63-1397. L63-1397 is a selection with semi-determinate stem type from 'Harosoy' x PI 80.837. Asgrow A3127 is a cultivar selected from Williams x Essex. The F_2 , F_3 , and F_4 generations were advanced in bulk at the Illinois Agricultural Experiment Station. Piatt was evaluated as LN86-3357 in Illinois for agronomic performance during 1987 to 1992. It was evaluated in the Uniform Soybean Tests Northern States Preliminary III, 1990 and Uniform Test III in 1991 and 1992.

Piatt appears stable and uniform through five generations of selfing and during seed increase program for other characteristics.

14b. Exhibit B: Novelty Statement

Piatt is most similar to Resnik. Piatt differs from Resnik having gray pubescence, white flowers, and buff hila while Resnik has brown pubescence, purple flowers, and black hila. Piatt with Rps1-a gene has resistance to phytophthora rot (caused by <u>Phytophthora sojae</u>) races 1, 2, and susceptible to races 3, 4, and 7 while Resnik with Rps1-k gene is resistant to phytophthora rot races 1, 2, 3, 4 and 7.

EXHIBIT C (Soybean)

U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
LIVESTOCK, MEAT, GRAIN & SEED DIVISION
PLANT VARIETY PROTECTION OFFICE
BELTSVILLE, MARYLAND 20705

OBJECTIVE DESCRIPTION OF VARIETY SOYBEAN (Glycine max L.)

SOYBE.	AN (Glycine max	L.)				
NAME OF APPLICANT(S)	TEMPORARY DESI	GNATION VARIETY NAME				
University of Illinois	LN86-3357	Piatt				
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Coo	FOR OFFIC	FOR OFFICIAL USE ONLY				
1301 W. Gregopry, Illinois Ag. Experimen	nt Station	PVPO NUMBER	AL GOL GILL			
211 Mumford Hall University of Illinois, Urbana, IL 6180	I	94	9400062			
Choose the appropriate response which characterizes the var	riety in the features	described below When also	1 6: 10 11:			
in your answer is fewer than the number of boxes provided, Starred characters * are considered fundamental to an adeq when information is available.	Diace a zero in the	iret hav when number is a selec-				
1. SEED SHAPE:						
X L W W 3 = Elongate (L/W, L/T, and T/W ratios = < 1.2)	T = Spherica 4 = Elongate	Flattened (L/W ratio > 1.2; L/T rat Flattened (L/T ratio > 1.2; T/W >	io = < 1.2) 1.2)			
2. SEED COAT COLOR: (Mature Seed)	·					
1 = Yellow 2 = Green 3 = Brown	4 = Black	5 = Other (Specify)				
3. SEED COAT LUSTER: (Mature Hand Shelled Seed)	 					
2 1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Nebso	y'; 'Gasoy 17')					
4. SEED SIZE: (Mature Seed)						
1 4 Grams per 100 seeds						
5. HILUM COLOR: (Mature Seed)		3				
1 = Buff 2 = Yellow 3 = Brown 4	= Gray 5 = Im	perfect Black 6 = Black	7 = Other (Specify)			
6. COTYLEDON COLOR: (Mature Seed)	<u> </u>					
1 = Yellow 2 = Green			•			
7. SEED PROTEIN PEROXIDASE ACTIVITY:						
2 1 = Low 2 = High						
8. SEED PROTEIN ELECTROPHORETIC BAND:						
1 = Type A (SP1 ^a) 2 = Type B (SP1 ^b)						
9. HYPOCOTYL COLOR:						
1 = Green only ('Evans'; 'Davis') 2 = Green with 3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71') 4 = Dark Purple extending to unifoliate leaves ('Hodgson'; 'C	•	yledons ('Woodworth'; 'Tracy')				
O. LEAFLET SHAPE:						
3 1 = Lanceolate 2 = Oval 3 = Ovate	4 = Other (Spi	cify)				

						· .	•	· ·	
11	. LEAF	LET SIZE:						· · · · · · · · · · · · · · · · · · ·	,
	2	1 = Small ('Amsoy 71'; 'A 3 = Large ('Crawford'; 'Tr	5312') acy')	2 = Medius	m ('Corsoy I	'9'; 'Gasoy 17')			
12	LEAF	COLOR:				·			
	2	1 = Light Green ('Weber'; 3 = Dark Green ('Gnome';	'York') 'Tracy')	2 = Mediur	m Green (°C	orsoy 79'; 'Brax	ton')		
13	. FLOY	VER COLOR:				·		·	······
	1	1 = White 2	≖ Purple	3 = White with	h purple thre	pat	·		
14	. POD (COLOR:					······································		
	2	1 = Tan 2 = Ba	own 3	= Black					٠
15	. PLAN	T PUBESCENCE COLOR:							
		1 = Gray 2 = Br	own (Tawny)	· .					
16	PLAN	T TYPES:			, , , , , , , , , , , , , , , , , , , 				
	2	1 = Siender ('Essex'; 'Amss 3 = Bushy ('Gnome'; 'Gove	oy 71') an')	2 = Intermi	ediate ('Amo	or'; 'Braxton')			
17.	PLAN	T HABIT:			·				
	2	1 = Determinate ('Gnome', 3 = Indeterminate ('Nebsor	'Braxton') /'; 'Improved Pelicar	2 = Semi-D	eterminate ('Will')			
7 18.	MATU	RITY GROUP:		· · · · · · · · · · · · · · · · · · ·					
	6	1 = 000 2 = 00 9 = VI 10 = VII	3 = 0 11 = VIII	4 = I 12 = IX	5 = II 13 = X	6 = III	7 = IV	8 = V	
19.	DISEA	SE REACTION: (Enter 0 = 1	Not Tested; 1 = Susc	eptible; 2 = Res	istant)				
		TERIAL DISEASES:					•		
*		Bacterial Pustule (Xanthon	onne abricati vas a			•			
				ojensis)					*
		Bacterial Blight (Pseudomo						·	
*	0	Wildfire (Pseudomonas taba	ici)					·	
ند	FUNG	AL DISEASES:							
*	1	Brown Spot (Septoria glyci	nes)						
*	0	Frogeye Leaf Spot (Cercosp Race 1 0 Race 2	<u> </u>	3 0 R	lace 4	0 Race 5	0 Other	(Specify)	
		Target Spot (Corynespora c	assiicola)	The state of the s			——————————————————————————————————————	· · · · · · · · · · · · · · · · · · ·	
	Ä	Downy Mildew (Peronospoi		anshurica)					
	0	Powdery Mildew (Microsph.		•				•	
*		Brown Stem Rot (Cephalos)							•
	0	Stem Canker (Diaporthe ph.		vora)					

FORM_LMGS-470-57_(6.83)

(0.57 (6.83)

19. DISEASE REACTION: (Enter 0 = Not Tested: 1 = Susceptible: 2 = Pariseral (Constitute)										
				sted; I = Susceptible; ;	2 = Resistant)	(Continued	1)			
_		GAL DISEASI	ES: (Continued)	•						
*	0	Pod and Ster	n Blight <i>(Diaporthe p</i>	haseolorum var; sojae))					
		Purple Seed	Stain <i>(Cercospora kik</i> i	uchii)						
	0	Rhizoctonia	Root Rot (Rhizocton	ia solani)				·		
٠.		Phytophthor	a Rot (Phytophthora	megasperma var. sojae	<u>:/</u>					
*	2	Race 1	2 Race 2	1 Race 3	Race 4	0	Race 5	0	Race 6	Race 7
	0	Race 8	0 Race 9	Other (Specify)	<i></i>					
	VIRA	L DISEASES:								
	۵	Bud Blight (1	Tobacco Ringspot Vir	light (Diaporthe phaseolorum var; sojae) In (Cercospora kikuchiii) In Rot (Rhisoctonia solani) In (Phytophthora megasparma var. sojae) In Race 2						
	0	Yellow Mosa	ic (Bean Yellow Mosa	ic Virus)						
*		Cowpea Mosa	nic (Cowpea Chlorotic	: Virus)				•		
	0	Pod Mottle (Bean Pod Mottle Virus	(2						
*	0	Seed Mottle (Soybean Mosaic Viru	s)						
	NEMA	ATODE DISEA	ASES:							
		Soybean Cyst	Nematode (Heterode	era glycines)						
*	1	Race 1	1 Race 2	1 Race 3	I Race 4		Other (Spec	cify)	·····	
	0	Lance Nemat	ode (Hopiolaimus Col	'ombus)						-
*	0	Southern Roc	ot Knot Nematode (M	eloidogyne incognita)						
*		Northern Roc	d Blight (Tobacco Ringspot Virus) Illow Mosaic (Bean Yellow Mosaic Virus) Appea Mosaic (Cowpea Chlorotic Virus) If Mottle (Bean Pod Mottle Virus) If Mottle (Soybean Mosaic Virus) DE DISEASES: Dean Cyst Nematode (Heterodera glycines) Let 1 1 Race 2 1 Race 3 1 Race 4 Other (Specify) Let Roce (Hapicolaimus Colombus) There Root Knot Nematode (Meloidagyne incognita) There Root Knot Nematode (Meloidagyne Hapia) That Root Knot Nematode (Meloidagyne arenaria) Ifform Nematode (Ratylenchulus reniformis) HER DISEASE NOT ON FORM (Specify): LICAL RESPONSES: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) Chiorosis on Calcareous Soil Let (Specify) LICAL RESPONSES: (Enter O = Not Tested; 1 = Susceptible; 2 = Resistant) LICAL RESPONSES: (Enter O = Not Tested; 1 = Susceptible; 2 = Resistant) LICAL RESPONSES: (Enter O = Not Tested; 1 = Susceptible; 2 = Resistant) LICAL RESPONSES: (Enter O = Not Tested; 1 = Susceptible; 2 = Resistant) LICAL RESPONSES: (Enter O = Not Tested; 1 = Susceptible; 2 = Resistant) LICAL RESPONSES: (Enter O = Not Tested; 1 = Susceptible; 2 = Resistant) LICAL RESPONSES: (Enter O = Not Tested; 1 = Susceptible; 2 = Resistant) LICAL RESPONSES: (Enter O = Not Tested; 1 = Susceptible; 2 = Resistant) LICAL RESPONSES: (Enter O = Not Tested; 1 = Susceptible; 2 = Resistant) LICAL RESPONSES: (Enter O = Not Tested; 1 = Susceptible; 2 = Resistant) LICAL RESPONSES: (Enter O = Not Tested; 1 = Susceptible; 2 = Resistant) LICAL RESPONSES: (Enter O = Not Tested; 1 = Susceptible; 2 = Resistant) LICAL RESPONSES: (Enter O = Not Tested; 1 = Susceptible; 2 = Resistant) LICAL RESPONSES: (Enter O = Not Tested; 1 = Susceptible; 2 = Resistant) LICAL RESPONSES: (Enter O = Not Tested; 1 = Susceptible; 2 = Resistant) LICAL RESPONSES: (Enter O = Not Tested; 1 = Susceptible; 2 = Resistant) LICAL RESPONSES: (Enter O = Not Tested; 1 = Susceptible; 2 = Resistant) LICAL RESPONSES: (Enter O = Not Tested; 1 = Susceptible; 2 = Resistant)							
	0	Peanut Root I	Cnot Nematode (Meld	pidogyne arenaria)		*				•
	0	Reniform Ner	natode (<i>Rotylenchulu</i>	ıs reniformis)						
		OTHER DISE	ASE NOT ON FORM	(Specify):		· · · · · · · · · · · · · · · · · · ·				
20 0	PACIO	LOCIONI DE	2201050 /5							
±0, r	1			* Not Tested; 1 * Susc	ceptible; 2 = Ro	sistant)				
	一									
										
21, II		REACTION:	(Enter 0 = Not Tested	d; 1 = Susceptible; 2 =	Resistant)	- 1-181 <u>-</u>	<u></u>			
	띧	Mexican Bean	Beetle (Epilachna var	rivestis)						
	٥	Potato Leaf H	opper (Empoasca fab.	ae)						
		Other (Specify	·)		·					
22. II	VDICAT	E WHICH VA	RIETY MOST CLOS	ELY RESEMBLES TI	HAT SUBMIT	ED.				
	CHARA	ACTER	NAME C	F VARIETY	СН	ARACTER			NAME 0	F VARIETY
PI	ant Sha	pe	Resnik		Seed (Coat Luster		Re	snik	
Le	af Shap	e	Resnik		Seed S	ize		Re	snik	
	af Colo		Resnik		Seed S	hape		Re	snik	
Le	af Size		Resnik		Seedli	ng Pigment	ation	Re	snik	

FUHM LMGS-470-57 (6-8)

9400062

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	NO. OF DAYS MATURITY	PLANT LODGING SCORE	CM PLANT HEIGHT	LEAFLET SIZE		SEED CONTENT		SEED SIZE G/100	NO. SEEDS/
				CM Width	CM Length	% Protein	% Oil	SEEDS	POD
Piatt Submitted	143	1.3	89	6.4	11.4	39.6	20.8	14.3	2.5
Resnik Name of Similar Variety	139	1.2	81	5.0	10.0	41.2	20.6	15.1	2.5

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A₂ in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.

14d. Exhibit D. Additional Description of Variety

Piatt is classified as Group III maturity (relative maturity 3.7) averaging 4 d later than Resnik. It is best adapted to 38 to 41° N lat. When compared with Resnik, Piatt averaged 1% higher seed yield, 8 cm taller plant height, and 1.5 percentage units lower seed protein concentration. Piatt is similar to Resnik in lodging and seed quality scores.

14e. Exhibit E. Statement of the Basis of Applicants Ownership

Piatt was developed at the University of Illinois, Illinois Agricultural Experiment Station by C. D. Nickell, an employee in the Department of Agronomy.

Amendment to Exhibit E 8/28/95

Piatt was originated and developed by Professor C. D. Nickell of the Department of Agronomy, Illinois Agricultural Experiment Station, University of Illinois. By agreement between employees and the University, all rights to any invention, discovery or development made by employees are assigned to the University. No rights to such invention, discovery or development are retained by the employee.